

Shenzhen Kegstar Limited

Tel:+86-755-84185267 fax:+86-755-28582067 email:brookrhen@kegexpert.com
www.kegexpert.com

About us

Shenzhen Kegerio Limited(used to name as New Dynamic Industrial Limited)is dedicated to supplying quality draft beer equipment to the draft beer industry. We offer a complete line of kegerators as well as accessory draft components for a variety of keg packages from one keg up to four kegs, pricing to meet budget from the entry level market to high end market. We have kegerators for home use, outdoor built-in use and commercial use. We have kegerators for home use, outdoor built-in use and commercial use.We have been in the industry for 10 years and have customized kegerators for dozens of oversea customers.

Like no other in China,we adhere to quality to maintain our integrity. It's our mission that the users can serve an attractive product with fine and perfect taste with our equipment. Our goal is that our clients can trust our company, like our brand and be satisfied with our service

The logo for Kegerio, featuring the word "KEGERIO" in a bold, sans-serif font. The letters "KE" are in blue, and "GERIO" is in black.

Kegerio Residential Grade Kegerator



ND164



ND174



ND184

- Unit dimension(W X D X H):61.6cmx61cmx90cm
- Digital temperature controller with a front mounted blue LCD display
- Keg options: one full size half barrel(including the oversized coors and miller keg) , or two 1/6 barrels,or Three cornelius kegs;

- Gross weight:52.5kg
- Packing dimation(W X D X H): 67cmx66cmx97.5cm
- Container loading: 135units/40'GP,167units/40'HQ
- Tempreature zone :-3 to 8 °C(27-46.4°F)when the ambient tempreature is between 16 and 32 °C(60.8- 89.6 °F)
- Beer is poured under 36°F (2°C).Guranteed no foamy issue with this beer dispenser
- Compressor:1/8 P
- CE certified

Kegerio outdoor built-in kegerator

Patent design

- Stylish outlook
- Superior cooling
- Leading capacity




**SS top SS front model
ND-1600STD**



**SS top black front model
ND-1600STB**



Full Stainless Steel Exterior Model ND1600FSS



S.S front undercounter Built-in Kegerator ND-1600WTD

Specification:

Model no:ND1600

ND-1600 is an outdoor built-in kegerator

Product size with the stainless steel worktop(W X D X H):23.86" X 24.9" X 35.43 "

Product size without the stainless steel worktop:(W X D X H):23.85" X 24.86" X 34.375",good for built-in into an american indoor cabinetry with no clearance needed on the back and sides

Note the above dimension includes the adjustable legs but does not include the guard rail, beer tower and door handle

Features:

- Most residential grade kegerators on the market are modified from mini direct cooling fridges which are chilled by a coldplate.Cold air will stay at the bottom of the cabinet because the air circulation inside a direct cooling fridge is weak.ND1600xxx is equipped with a forced air refrigeration system.In this system,cold air is sucked from grills at the bottom of the cabinet into a large duct at the back,chilled by the evaporator,then blown out from the top of the cabinet by a fan,and distributed to every corner inside the cabinet.Comparing with those kegerators chilled by a cold plate,there is much more adequate circulation of cold air inside ND1600.The keg is evenly chilled by the constant cold air flow .
- Tower is constantly cooled by a hose that pulls forced refrigerated air into the tower so your beer does not develop hot spots that cause foaming and other issues. This feature is missing from most consumer grade kegerators.

- Able to operate in higher temperature situations. Can be used outdoors!The fan inside the compressor area also takes heat away from the compressor so does not over cycle when kegerator is placed in warm areas. Works great in outdoor kitchens as a stand alone or built in.We do recommend that the unit be shaded and covered from the elements by a roof or a large umbrella or tarp. Works well up to outdoor temperatures of 104 degrees fahrenheit((40 degrees centigrade)
- All ND1600XXX models can also be used for built-in because they front ventilated

Specification

- Keg capacity:one full size half barrel(including the oversized coors and miller keg);or three 1/6 barrels ;or three homebrew Cornelius kegs;or two slim quarter kegs ;or one 1/4 barrel short keg
- Front ventilation.Front ventilation means both two sides and back of the unit can be attaching to a wall closely with no clearance needed for heat circulation.Front breathing is a very desirable feature for those shops with tight space
- Pour a perfect beer even under 104F(40C)'s ambient temperature
- Optional finish:
 - 304 stainless steel top ,black front with solid black sides model ND1600STB -- good for indoor freestanding or built in use,commercial use
 - 304 stainless steel top and front with solid black front model ND1600STD--- good for outdoor use with an umbrella or roof on the top,commercial use
 - all 304 grade stainless steel exterior model ND1600FSS (on front,sides and top)---weather proof structure, good for lcommercial use or long time outdoor use like outdoor kitchen installation
 - 304 stainless steel front, no top , solid black sides ,model ND1600WTD---good for indoor undercounter built in use
 - Black front, no top ,solid black sides, model ND1600WTB--- good for indoor undercounter built in use
- Forced air refrigeration system ,superior cooling effect
- Stylish black metal interior;
- Reinforced 304 stainless steel floor for heavy duty service
- Removable Stainless steel drip tray
- Stainless steel door handle
- Coming with a door lock
- Cools from 28F to 50F(-2C to 10C)
- Fan cooled condenser; 1/6p compressor ,works quietly
- Digital thermostat;
- Integrated tower blower to direct the cold air from the fridge into the tower to keep the beer ice cold all the way to dispense
- Optional 3" commercial grade casters for mobility
- Power:115V/60HZ or 220-240V/50HZ
- Net capacity:5.7 cu.ft(160L)
- Commercial grade components
- ETL certification
- Container loading:60 units/20 ' container,144 units per 40'HQ
- Unit weight:110lbs(50 kg).Shipping weight:132lbs(60kg)

Kegerio Commercial Grade Kegerator

Note the price of the following commercial kegerators does not include the draft beer components

Kegerio Double Door Commercial Grade Kegerator ND480



ND-480

304 grade Stainless steel interior and 304 grade s.s floor, wear - resistant black coating steel exterior

304 grade stainless steel worktop

Outer size(WXD_XH):48.82"X24.4"X36.22" (1240 X 620 X 920 mm) ,

Keg options: 2 x full size half barrels ;
3 x slim 1/4 barrels;
7 x 1/6 barrels ;

Built-in stainless steel drip tray with an external drain

1/3P compressor made by Embraco;

Manual thermostat with a LCD display

Integrated with an hose that directs cold air in the fridge to the beer tower to keep the beer all the way ice cold

Commercial grade forced air refrigeration providing super cooling effect

ETL+NSF certification for commercial use

Container loading:54 units per 40 feet HQ,Load with a pallet



4" heavy duty casters optional

Kegerio Double Door Commercial Grade Kegerator ND600



ND-600

304 grade Stainless steel interior and 304 grade s.s floor, wear - resistant black coating steel exterior

304 grade stainless steel worktop

Outer size(WXDXH):60.8"X24.4"X36.22" (1544 X 620 X 920 mm) ,

Net capacity:15.8cu.ft

Keg options: Two to three full size half barrels
 5 x slim 1/4 barrels;
 9 x 1/6 barrels;

Built-in stainless steel drip tray with an external drain

1/3P compressor made by Embraco;

Manual thermostat with a LCD display

Self-closing door with key locks, Positive door sealing

Integrated with an hose that directs cold air in the fridge to the beer tower to keep the beer all the way ice cold

Commercial grade forced air refrigeration providing super cooling effect

Temperature range 32 F--50F (0C --10 C)

ETL+NSF certification for commercial use

Voltage 115V/60Hz or 220-240V/50HZ

Unit weight:380lbs

4" heavy duty casters optional

Container loading:48 units per 40 feet HQ,Load with a pallet

Kegerio Two Kegs Commercial Grade Kegerator ND2000



ND-2000

ND-2000 can hold up to three full size half barrels. ND-2000 also has wider space between the door post and walls than ND480, easier for moving the kegs into the fridge

- Stainless steel interior. Heavy duty, wear - resistant black painted steel exterior
- 304 grade stainless steel floor
- 304 stainless steel counter top
- Integrated tower cooling blowers to keep the beer ice cold all the way to the dispense
- Integrated sunk stainless steel drip tray with a drain
- Commercial grade forced air refrigeration system creating super good cooling effect
- Manual thermostat with a LCD display
- Self-closing door with key locks, Positive door sealing
- High efficiency compressor made by Embraco or Danfoss
- Easily accessible condensor coil for cleaning and maintenance service
- 4" heavy duty casters optional
- ETL+NSF certified for commercial use
- Keg Options: Two to three full size half barrels
7 x slim 1/4 barrels;
10 x 1/6 barrels;

- Net Capacity 19 cu. Ft (546 L)
- Temperature range 27 F--41F (-3C --5 C)
- Cabinet dimensions (LXDXH) 58.875" X27.75" X36.25" or 1495X705X920mm
- Compressor HP: 1/3+
- Voltage 115V/60Hz or 220-240V/50Hz
- Container loading 44 PCS/40' GP. Load with a pallet

Kegerio Three Kegs Commercial Grade Kegerator ND3000



ND-3000

ND-3000 is three keg commercial grade kegerator . D-3000 has just two doors ,but has large keg capacity inside

- Stainless steel interior. Heavy duty, wear - resistant black painted steel exterior
- 304 grade stainless steel floor
- 304 stainless steel counter top
- Integrated tower cooling blowers to keep the beer ice cold all the way to the dispense
- Integrated sunk stainless steel drip tray with a drain

- Commercial grade forced air refrigeration system creating super good cooling effect
- Manual thermostat with a LCD display
- Self-closing door with key locks, Positive door sealing
- High efficiency compressor made by Embraco or Danfoss
- Easily accessible condensor coil for cleaning and maintenance service
- 4" heavy duty casters optional
- Optional finish: painted black exterior or all stainless steel exterior
- ETL+NSF certified for commercial use
- Keg options: 3 X full size half barrels+1 x slim 1/4 barrel +1x 1/6 barrel;
9 X slim 1/4 barrels
12 X 1/6 barrels
- Net Capacity 23.3 cu. Ft (666 L)
- Temperature range 27 F--41F (-3C --5 C)
- Cabinet dimensions (LXDXH) 69.125" X27.75" X36.25" or 1755X705X920mm
- Compressor HP: 1/3+
- Voltage 115V/60Hz or 230-240V/50Hz
- Container loading 38 PCS/40' GP. Load with a pallet

Kegerio Four Kegs Commercial Grade Kegerator ND4000



ND-4000

- ND-4000 is a four keg commercial grade kegerator

- Stainless steel interior. Heavy duty, wear - resistant black painted steel exterior
- 304 stainless steel floor
- 304 stainless steel counter top
- Integrated tower cooling blowers to keep the beer ice cold all the way to the dispense
- Integrated sunk stainless steel drip tray with a drain
- Stainless steel beer tower with beer line and hux nut assemblies
- Commercial grade forced air refrigeration system creating super good cooling effect
- Manual thermostat with a LCD display
- Self-closing door with key locks, Positive door sealing
- Imported high efficiency compressor made by Embraco or Danfoss
- Easily accessible condensor coil for cleaning and maintenance service
- 4" heavy duty casters optional
- Optional finish: painted black exterior or all stainless steel exterior
- ETL+NSF certified for commercial use
- Keg capacity: 4 X full size half barrels;
 - 12 X slim 1/4 barrels + 1 x 1/6 barrel;
 - 16 X 1/6 barrels
- Net Capacity 32 cu. Ft (916 L)
- Temperature range 27 F--41F (-3C --5 C)
- Cabinet dimensions (LXDXH) 90.375" X27.375" X36.25" or 2295X705X920mm
- Compressor HP: 1/3+
- Voltage 115V/60Hz or 220-240V/50Hz
- Container loading 30 PCS/40' GP. Load with a pallet

Kegerio Commercial Grade Cold Brew Coffee Keg Dispenser



Serve delicious cold brew coffee on tap using the Kegerio Cold Brew Coffee Dispenser (ND1600COF). Smoother and less bitter than traditional coffee, cold brew has quickly grown from trend to staple. Perfect for home, business, or office use, this cold brew dispenser is sure to be a crowd pleaser.

Specification:

Model no:ND1600COF

Product size (W X D X H):23.85" X 24.9" X 35.43 "

Note the above dimension includes the adjustable legs but does not include the guard rail, beer tower and door handle

Keg capacity:one 50L commercial keg or three 5 gallon Cornelius kegs or four AEB kegs at a tight fitting

Features:

Heavy duty 304 stainless steel top in combination with matt black cabinet and front

Front ventilation.Front ventilation means both two sides and back of the fridge can be attaching to a wall closely without any clearance needed for heat circulation.Front breathing is a very desirable feature for those shops which have tight space

Special stout tap with 304 ss body allows for a cascading pour,creating a pleasant mouthfeel and coffee crema.304 stainless steel is easy for sanitation

Double gauge nitrogen regulator with a specially customized 0-15psi low pressure gauge for accurate reading of the output pressure Metal interior;

Reinforced floor for heavy duty,made from 32 gauge 304 grade stainless steel Removable Stainless steel drip tray

Stainless steel door handle Coming with a door lock

Cools from 28F to 50F(-2C to 10C)

Fan cooled condenser; 1/6p compressor ,works quitely

Digital thermostat for accurate temperature control

Forced air refrigeration system ,superior cooling effect

Integrated tower cooler

3" commercial grade casters for mobility

Net capacity:5.7 cu.ft(160L)

Power:115V/60HZ or 220V-240V/50HZ

ETL certification

Container loading:60 units/20 ' container,144 units per 40'HQ

Unit weight:110lbs(50 kg).Shipping weight:132lbs(60kg)

Home Brew Keg



5 Gallon

210mm diameter

5 gallon:	643mm tall
2.5 gallon	393mm tall
1.5 gallon	275.5mm tall



top view

228.5 mm diameter

584mm tall
373mm tall
260mm tall

Please note:

1. The above height includes the keg handle
2. no extra height allowance required for the disconnects & fittings as they sit below the height of the handle

Features:

Stackable. very comfortable to lift and stack. stack just like commercial kegs as they fit snugly and firmly in the rolled stainless steel handles

By comparison the interior welds of other Chinese made equivalents with black rubber handles of these kegs are greatly inferior. Our homebrew kegs are machine welded and qualify for ISO USA Food Safety Standards

Other Chinese made equivalents with black rubber handles are made from a low-grade stainless which can develop surface rust and the quality of the finish and workmanship is of much lower standard. They simply don't compare.

Beer tap

Non flow control beer tap



Brass: 9 USD
Stainless steel: 19 USD

Flow control beer tap



brass: 20 USD
stainless steel: 40 USD for Euro standard
40 USD for American standard

Self-closing beer tap



Brass:10USD
stainless steel:40 USD
Stainless steel :21 USD

Stout tap



40 USD

Drip Tray

Rectangular Stainless Steel Drip Tray



30 cm W X 16 cm D X 2 cm

Cut-out Design Stainless Steel Drip Tray




32 cm W X 18.5 cm D X 2 cm H Made from 1.5mm 304 grade stainless steel

Bevel edge stainless steel drip tray



Made from 1.2mm 304 grade stainless steel

Square Drip Tray



47 cm W x 18.5cm D x 2cm H


Made from 1.8mm 304 grade stainless steel

Beer Tower
Single Column –3" diameter Single Faucet chrome tower



- 3" Diameter chrome plated stainless steel tower column
- Fits all our Kegerio beer fridges
- 5 feet of 3/16" NSF certified Beer Tubing
- Mounting Gasket Screws Included

T Style Cylinder Tower



- 3.3" Diameter polished stainless steel tower column
- Fits all our Kegerio beer fridges
- 5 feet of 3/16" NSF certified Beer Tubing
- Mounting Gasket Screws Included
- Air cooled or glycol cooled optional
- 8mm O.D stainless steel coolant line for glycol cooled tower

Crown Tower



- 3" Diameter polished stainless steel tower column
- Self-closing flow control taps
- Fits all Kegerio keg fridges
- 5 feet of 3/16" NSF certified Beer Tubing
- Mounting Gasket Screws Included

T style beer tower



- Fits all Kegerio beer fridges
- 5 feet of 3/16" NSF certified Beer Tubing
- Mounting Gasket Screws Included

Keg coupler



D type



S type



A type

Nickel plated brass body with stainless steel probe

Stainless steel keg coupler(body,probe and handle are all made from 304 ss)



D type

Beer Regulator



Two way gas distributor:

Features

- Built for durability: forged brass body, accurate machining.
- Built-in non return valve to prevent beer going into the regulator
- UL and CE approved

Specifications:

Type	Primary Regulator - CO2
Installation	CO2 tank mount
Performance	1 Pressure / 1 Product
Output Pressure Gauge	0-60 PSI, for accurate product pressure
Tank Pressure Gauge	0-3000 PSI, for accurate remaining tank pressure

Gas Bottle



5lb DOT certified co2 tank:



4L CE certified Co2 tank: